


TEI0016 - Installation guide for Jupyter

- Overview
- Download
 - Making the demos accessible for Jupyter
 - Content of the zip
- Installation of "Anaconda Individual Edition" respectively Jupyter and JupyterLab
- Starting Jupyter
- Using the Jupyter tab to navigate to a Notebook
- Executing a Notebook
- Installation of Python software modules
- Executing the Demo Notebook
- Annotations



Overview

The modules TEI0015, TEI0

Content of the zip

Content of the zip archive - TEI00XY-0x-08-C8A_Jupyter-Demo-FFT-vX.Y_quartusXY.Z_JupX.Y_JupLX.Y_YearMonthDay-Time .zip :

- Folder "Jupyter Demo":
 - The Notebook / Demo - TEI00-15-16-23_Jupter-Demo-FFT-vX.Y .ipynb
 - A python code module - TEI00xyCodeModule .py
- Folder "Setup-Notebooks":
 - The Notebook - Python_install_module_dependencies .ipynb
 - The Notebook - Performs_modifications_to_JupyterLab .ipynb
 - The Notebook - List_required_modules .ipynb
- Board configuration file TEI00xy... .pof
- Manual

Installation of "Anaconda Individual Edition" respectively Jupyter and JupyterLab

The simplest way to execute the demos in Jupyter is accomplished through the installation of "Anaconda Individual Edition" which is free and Open-source. This will install more than is needed but nearly all requirements in one step.

The Anaconda website provides detailed instructions on how to install the application, just follow this [link](#).

It is generally advised to use the default settings of the Anaconda installer. If the installer offers you the installation of optional applications, just skip those, they are not needed to run the demos or edit their code.


Starting Jupyter

To open Jupyter, press the windows key and type Jupyter, this presents "Jupyter Notebook (AnacondaX)" to you, from which one can start Jupyter.

Jupyter is based on the "Client-server structure", the server is executed in the background, and the client is a webpage inside your default browser. This webpage allows to navigate through the file system and to open and execute the Notebooks.

So opening Jupyter begins by starting the server, which is presented as a console displaying status messages of the server, shortly after, the webpage will be opened.

The console must be open all the time, you want Jupyter to run. You can minimize it.



```
Jupyter Notebook (Anaconda3)
[I 11:13:40.773 NotebookApp] JupyterLab extension loaded from C:\Users\k.j\AppData\Local\anaconda3\envs\base\lib\site-packages\jupyterlab
[I 11:13:40.773 NotebookApp] JupyterLab application directory is C:\Users\k.j\AppData\Local\anaconda3\envs\base\share\jupyterlab
[I 11:13:40.788 NotebookApp] Serving notebooks from local directory: C:\Users\k.j\AppData\Local\anaconda3\envs\base\share\jupyterlab
[I 11:13:40.788 NotebookApp] The Jupyter Notebook is running at:
[I 11:13:40.788 NotebookApp] http://localhost:8888/?token=359388bc018572b501212f5bd686799142b60e8
[I 11:13:40.788 NotebookApp] or http://127.0.0.1:8888/?token=359388bc018572b501212f5bd686799142b60e8
[I 11:13:40.788 NotebookApp] Use Control-C to stop this server and shut down this page
[C 11:13:40.911 NotebookApp]

To access the notebook, open this file in a browser:
file:///C:/Users/k.j/AppData/Roaming/jupyter/runtime/nbserver-2700-c
Or copy and paste one of these URLs:
http://localhost:8888/?token=359388bc018572b501212f5bd686799142b60e8
or http://127.0.0.1:8888/?token=359388bc018572b501212f5bd686799142b60e8
```


Using the Jupyter tab to navigate to a Notebook

The following is a general explanation on how to navigate via the Jupyter browser page. Generally, the Jupyter tab inside your browser is in itself a file browser. Jupyter has access only to your **user or home folder** which it displays after the program start. To start a notebook, one has to navigate to the folder containing the notebook file.

Left clicking on a folder opens it. Going back or a level up is accomplished by clicking the **back button** of your browser.

In the picture below these steps are exemplarily shown:

- Jupyter tab - Home folder
Download folder
- Download folder
Demo folder
- Demo folder
Demo Notebook




Executing a Notebook

A notebooks browser tab is the combination of a simple IDE together with the capability to directly run scripts.

A notebook consists of cells, in which its content, the applications source code resides. The code can easily be altered and directly executed from within the cell. The output of a cell for data, tables, graphs and GUI elements are below a cell. To a notebook can Cells be added or removed.

Before executing a Notebook, the PC's focus must be upon the cell, left clicking into the cells source code focuses this cell.



Now the demo can be run through pressing the **Run** button, **stopped** by the button with the black rectangular, **reloaded** through the circular arrow and lastly **reloaded and rerun** by the two arrowed button.

Important! When the code of a Notebook was changed, one **has to reload** the Notebook.

The notebook can be closed either by closing the tab or via File "Close and Halt".

Installation of Python software modules

Use the Jupyter browser tab to navigate along the path:

Jupyter tab - Home folder

Extracted demo archive : **TEI00XY-0x-08-C8A_Jupyter-Demo-FFT-vX.Y_quartusXY.Z_JupX.Y_JupLX.Y_YearMonthDay-Time .zip**

Folder: Setup-notebooks

Content:

Python_install_module_dependencies.ipynb

Performs_modifications_to_JupyterLab.ipynb

List_required_modules.ipynb

To install the missing Python code modules for this demo (serial/ pyserial/ ipympl), the Notebook **Python_install_module_dependencies.ipynb** has to be executed. This installs the required Python software modules.

After installation of the modules, Jupyter needs to be restarted.

JupyterLab requires also the execution of the Notebook **Performs_modifications_to_JupyterLab.ipynb** to function correctly (This modifies the output for interaction with matplotlib). Afterwards, JupyterLab can be started.

Executing the Demo Notebook

The parent page provides a link to a detailed description on how to use this Demo and install the module driver.

Connect a module via USB, if necessary install the driver. Every demo communicates with the module by a serial COM-port. This port has been assigned a number during the driver installation. This Demo notebook contains a graphical user interface. The available COM-ports will be scanned when the Notebook is executed. They are presented and selectable through the GUI. The Notebook containing the Demo **TEI00XY_Jupyter-Demo-FFT_vX.Y .ipynb** is stored along the path:

Jupyter tab - Home folder

Extracted demo archive : **TEI00XY-0x-08-C8A_Jupyter-Demo-FFT-vX.Y_quartusXY.Z_JupX.Y_JupLX.Y_YearMonthDay-Time .zip**

Folder: Jupyter-Demo

Content:

TEI00XY_Jupyter-Demo-FFT_vX.Y .ipynb

TEI00xyCodeModule.py

As an option, a default COM-port can be set at the beginning of the notebook and the style of the FFT plot can be altered from logarithmic to linear. At the bottom of the Notebook, the size of the graphs can be altered.

Annotations

- The demos are only linked to Jupyter through the import and use of the following modules:
 - IPython** - Interacting from within the Notebook with its output / plots
 - ipywidgets** - Interactive Widgets/GUI elements for the Jupyter Notebook
- Show line numbers inside a notebook: View Toggle Line Numbers
- Autocomplete is available when pressing the Tab key
- Variables of a notebook cell are not encapsulated from other cells inside the same notebook